

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: Date: 07/10/11

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Wednesday, 9/12/2007 12:13:59 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 206/OH-58 SADDLE, INBOARD, RIGHT SIDE

Job Number: 34617

Part Number: D29381

Job Number:



Seq. #:

Machine Or Operation:

Description :

5.0

QC8

SECOND CHECK



Comment: SECOND CHECK

J.F. 07/10/08

6.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Acid etch and Alodine as per QSI 005 4.1

M.H. 07/10/09

10X

7.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3

MJ 07-10-10

10

8.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT

P 7/10/10 10

9.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: 57928

P 7/10/10 10

10.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

10
D 07/10/11

Job Completion



✓ 07-10-10

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	34617
Description: 206 Saddle, Outboard, Left side	Part Number:	D2938-1
Inspection Dwg: D2938 Rev. C		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2938 Rev. C and record below:

				Recorded Actual Dimensions				By	Date
Dim	Min	Max	Go/No Go Gauge	1	2	3	4		
A	0.100	0.140		.124	.124	.124	.124		
B	0.100	0.140		.123	.123	.123	.123		
C	0.100	0.140		.114	.114	.114	.114		
D	0.210	0.230		.226	.226	.226	.226		
E	1.245	1.255		1.250	1.250	1.250	1.250		
F	1.245	1.255		1.250	1.250	1.250	1.250		
G	2.495	2.505		2.500	2.500	2.500	2.500		
H	0.510	0.515		.510	.510	.510	.510		
I	1.572	1.582		1.577	1.577	1.577	1.577		
J	2.495	2.505		2.500	2.500	2.500	2.500		
K	0.257	0.262		.258	.258	.258	.258		
L	0.312	0.317		.313	.313	.313	.313		
M	0.235	0.240		.238	.238	.238	.238		
N	0.100	0.140		.127	.127	.127	.127		
O	0.540	0.560		.546	.546	.546	.546		
P	0.490	0.510		.502	.502	.502	.502		
Q	3.715	3.725		3.720	3.720	3.720	3.720		
R	2.720	2.760		2.750	2.750	2.750	2.750		
S	0.240	0.270		.252	.252	.252	.252		
T	0.100	0.180		.140	.140	.140	.140		
U	1.625	1.635		1.630	1.630	1.630	1.630		
V	1.362	1.372		1.367	1.367	1.367	1.367		
W	0.316	0.321		.319	.319	.319	.319		
X	1.250	1.270		1.265	1.265	1.265	1.265		
Y	1.565	1.585		1.576	1.576	1.576	1.576		
Z	0.178	0.198		.188	.188	.188	.188		
AA									
AB									
AC									
AD									
AE									
AF									
AG									
AH									
Accept/Reject									

Measured by:	BC
Date:	07.10.07

Audited by:	J.F.
Date:	07/10/08

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Reformat; Added Dim. X-Y, DT8683, DT8686, DT8690	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	

DART AEROSPACE LTD	Work Order:	34617
Description: 206 Saddle, Outboard, Left side	Part Number:	D2938-1
Inspection Dwg: D2938 Rev. C		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2938 Rev. C and record below:

				Recorded Actual Dimensions				By	Date
Dim	Min	Max	Go/No Go Gauge	1 5	2 6	3 7	4 8		
A	0.100	0.140		.124	.124	.124	.124		
B	0.100	0.140		.123	.123	.123	.123		
C	0.100	0.140		.114	.114	.114	.114		
D	0.210	0.230		.226	.226	.226	.226		
E	1.245	1.255		1.250	1.250	1.250	1.250		
F	1.245	1.255		1.250	1.250	1.250	1.250		
G	2.495	2.505		2.500	2.500	2.500	2.500		
H	0.510	0.515		.510	.510	.510	.510		
I	1.572	1.582		1.577	1.577	1.577	1.577		
J	2.495	2.505		2.500	2.500	2.500	2.500		
K	0.257	0.262		.258	.258	.258	.258		
L	0.312	0.317		.313	.313	.313	.313		
M	0.235	0.240		.239	.239	.239	.239		
N	0.100	0.140		.127	.127	.127	.127		
O	0.540	0.560		.548	.548	.548	.548		
P	0.490	0.510		.506	.506	.506	.506		
Q	3.715	3.725		3.720	3.720	3.720	3.720		
R	2.720	2.760		2.740	2.740	2.740	2.740		
S	0.240	0.270		.252	.252	.252	.252		
T	0.100	0.180		.140	.140	.140	.140		
U	1.625	1.635		1.630	1.630	1.630	1.630		
V	1.362	1.372		1.367	1.367	1.367	1.367		
W	0.316	0.321		.319	.319	.319	.319		
X	1.250	1.270		1.265	1.265	1.265	1.265		
Y	1.565	1.585		1.575	1.575	1.575	1.575		
Z	0.178	0.198		.188	.188	.188	.188		
AA									
AB									
AC									
AD									
AE									
AF									
AG									
AH									
Accept/Reject									

Measured by:	RG
Date:	07-10-07

Audited by:	J.F.
Date:	07/10/08

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Reformat; Added Dim. X-Y, DT8683, DT8686, DT8690	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	

DART AEROSPACE LTD	Work Order:	34617
Description: 206 Saddle, Outboard, Left side	Part Number:	D2938-1
Inspection Dwg: D2938 Rev. C		Page 1 of 1


Inspect dimensions highlighted on inspection sheet drawing D2938 Rev. C and record below:

				Recorded Actual Dimensions				By	Date
Dim	Min	Max	Go/No Go Gauge	1 ₉	2 ₁₀	3	4		
A	0.100	0.140		.125	.125				
B	0.100	0.140		.129	.129				
C	0.100	0.140		.115	.115				
D	0.210	0.230		.225	.225				
E	1.245	1.255		1.250	1.250	4			
F	1.245	1.255		1.250	1.250				
G	2.495	2.505		2.500	2.500				
H	0.510	0.515		.510	.510				
I	1.572	1.582		1.577	1.577				
J	2.495	2.505		2.500	2.500				
K	0.257	0.262		.258	.258				
L	0.312	0.317		.313	.313				
M	0.235	0.240		.238	.238				
N	0.100	0.140		.126	.126				
O	0.540	0.560		.550	.550				
P	0.490	0.510		.505	.505				
Q	3.715	3.725		3.720	3.720				
R	2.720	2.760		2.740	2.740				
S	0.240	0.270		.252	.252				
T	0.100	0.180		.140	.140				
U	1.625	1.635		1.630	1.630				
V	1.362	1.372		1.367	1.367				
W	0.316	0.321		.319	.319				
X	1.250	1.270		1.265	1.265				
Y	1.565	1.585		1.575	1.575				
Z	0.178	0.198		.185	.185				
AA									
AB									
AC									
AD									
AE									
AF									
AG									
AH									
Accept/Reject									


Measured by:	SC
Date:	07.10.07

Audited by:	J.F.
Date:	07/10/08


Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Reformat; Added Dim. X-Y, DT8683, DT8686, DT8690	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	




SECTION A-A



VIEW C-C



SECTION B-B



D2938-1 LH SADDLE (SHOWN)
D2938-2 RH SADDLE (OPPOSITE)

NOTES:

- 1) MATERIAL: ALUMINUM 7075-T7351 (QQ-A-250/12)
(MAKE FROM D6101-003 SADDLE BULLET, 7075)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT GLOSS WHITE (REF 4.3.5.1) PER DART QSI 005 4.3
- 3) BREAK ALL SHARP EDGES 0.010 TO 0.020
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) ENGRAVE PART AND BATCH NUMBER IN THIS AREA 0.010 TO 0.015 DEEP

C	06.11.09	R0.188 WAS R0.30 TO R0.25
B	00.05.29	CHANGED GEOMETRY AND MATERIAL
A	99.11.12	NEW ISSUE
DESIGN	DRAWN BY	DART DART AEROSPACE USA, INC.
CHECKED	APPROVED	DART DART AEROSPACE USA, INC.
DATE	DRAWING NO.	D2938
	TITLE	SADDLE OUTSIDE
	REV. C	SHEET 1 OF 1
	SCALE	2:3

COPYRIGHT © 1998 BY DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

07.02.12

NO. 34617
WORK ORDER
SUBJECT TO AMENDMENT
WITHOUT NOTICE
UNCONTROLLED COPY
ENGINEERING
RETURN TO
SHOP COPY